




ADVANCED ENDOSCOPIC TECHNOLOGIES

Cardiology - Patient Care
Product Catalog



ORTHOVAC™
SUCTION KIT



PULSE OXIMETRY
SENSORS



VENI-GARD®
I.V. STABILIZATION DRESSINGS



HYFRECATOR® 2000
ELECTROSURGICAL SYSTEM



To order these and other
innovative products,

FERDINANDMEDICAL.COM

Ordering Information.....	2
---------------------------	---

Cardiology

Multi-Function Electrodes (PadPro®)

Electrodes with ZOLL® Connector.....	4
Electrodes with Physio-Control®	
Quik-Combo™ Connector.....	4
Electrodes with Universal/Anderson Connector	5

Adult ECG Electrodes

Adult Tape Conductive Adhesive Electrodes.....	8
General Purpose.....	8
Diagnostic.....	8
Long Term Monitoring	9
Adult Tape Wet Gel Electrodes	9
Adult Foam Conductive Adhesive Gel Electrodes	10
General Purpose.....	10
Diaphoretic	11
Adult Foam Wet Gel Electrodes.....	12
General Purpose.....	12
Diaphoretic	12
Adult Foam Wet Gel Electrodes - Radiotranslucent	12
General Purpose.....	12
Diagnostic.....	12

Repositionable ECG Electrodes

Repositionable ECG Electrodes – Tape.....	13
Repositionable ECG Electrodes – Cloth.....	13

Pediatric/Neonatal ECG Electrodes

Pediatric/Neonatal ECG Electrodes –	
Tape With Wire Attached.....	14
Pediatric/Neonatal ECG Electrodes –	
Cloth With Wire Attached	14
Radiolucant (RTL) Leadwires –	
Pre-Attached.....	14
Limb Band	14
Pediatric/Neonatal ECG Electrode - Snap Style.....	14

Specialty ECG Electrodes

ECG Backpads	15
ECG Strippers.....	15

Specialty ECG Accessories

Cables	16
Accessories	16

Resting ECG Electrodes and Accessories

Tab Style Electrodes.....	17
Alligator Clip Adapters.....	17
Bi-Directional Clip Adapters.....	17
One Piece Adapter.....	17
Universal Adapter.....	17
Snap Style Electrodes	18
Snaptrace® Adapters	18

ECG Cable Systems – R Series

R Series ECG Safety Cable System.....	19
R Series Safety Leadwires	19

ECG Cable Systems – FSR Series

FSR Series Fully Shielded ECG Safety Cable System	20
FSR Shielded Safety Leadwires	20

ECG Cable Systems – D Series

D Series Individually Shielded ECG Safety Cable System.....	21
D Series Shielded Safety Leadwires - Snap Style	21
D Series Shielded Safety Leadwires - Grabber Style.....	22
Diagnostic Safety Leadwires.....	22

Radiotranslucent Leadwires

Radiotranslucent Safety Leadwires.....	23
--	----

Disposable Leadwires

Disposable Leadwires	24
----------------------------	----

Neurology

EEG Cups

Brainstream Disposable Deep Cup EEG Electrodes	26
--	----

Critical Care Products

Pulse Oximetry

Pulse Oximetry Sensors	28
Disposable Sensors	28

Pulse Oximetry

Reusable Sensors	28
Extension Cables and Other Accessories	28

Suction Instruments & Tubing

Yankauer Instruments.....	30
OrthoVAC™ Single-Use Suction Kit	31
Big Yank™ Suction System	31
Frazier Instruments.....	32
Poole Instrument.....	33
Sigmoid Instrument	33
Suction Connecting Tubing	34
Economy Roll ("Bubble").....	35
Male Tubing Connectors	35

I.V. Stabilization Dressings

Veni-Gard® I.V. Stabilization Dressings.....	36, 37, 38
--	------------

Arm Supports

Armboards	39
-----------------	----

*Product and company names listed are trademarks or trade names of their respective companies.

Ordering Information

To Place Your Order

Please provide a purchase order number, billing and shipping instructions, product catalog number, description, and pricing to:

Customer Service Within U.S.

Telephone: 1-866-4CONMED

E-mail: customerexperience@CONMED.com

Customer Service International

Telephone: 727-214-3000

Email: internationalorders@CONMED.com

Purchase orders should be addressed to CONMED Corporation,
11311 Concept Blvd., Largo, FL 33773.

Quality Systems

All CONMED products are manufactured and produced in compliance with the following quality systems standards:

21CFR 820, US FDA Quality System Regulation

ISO13485

Terms and Conditions

All prices and specifications are subject to change without notice. All prices are F.O.B. Utica, New York; Centennial, Colorado; Lithia Springs, Georgia (F.O.B. Drop Shipment Points where applicable).

CREDIT TERMS: Net 30 days.

All products may not be available for sale in your region. For information on pricing and product availability, please contact your local CONMED representative.



CARDIOLOGY PRODUCTS

Adult/Child and Infant Multifunction Electrodes for Defibrillation/Pacing/Cardioversion/Monitoring

PadPro® electrodes are packaged 1 pair/pouch and 10 pouches (pairs)/case
PadPro® electrodes offer a maximum of 50 shocks, 8 hours of continuous pacing, or 24 hours of patient monitoring and a 36-month shelf life.



Multifunction Electrodes with ZOLL® Connector*

Adult/Child Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.1 x 4.5"	60"	2001Z
Radiotransparent Pads, pre-connect packaging	6.1 x 4.5"	60"	2001Z-PC
Radiotransparent Pads, sterile packaging	6.1 x 4.5"	60"	2502Z
Radiotransparent Pads, carbon leadwires	6.1 x 4.5"	60"	2001Z-C
Radiotranslucent Pads	6.1 x 4.5"	60"	2516Z
Radiotranslucent Pads, pre-connect packaging	6.1 x 4.5"	60"	2516Z-PC

Infant and Mini-Infant Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Infant	4.3 x 2.9"	60"	2603Z
Radiotranslucent Pads, Mini-Infant	2.6 x 2.2"	24"	2602Z

*Product and company names listed are trademarks or trade names of their respective companies.
For compatibility refer to Directions for Use.

Multifunction Electrodes with Physio-Control® Quik-Combo™ Connector*

Adult/Child Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.1 x 4.5"	60"	2001M
Radiotransparent Pads, pre-connect packaging	6.1 x 4.5"	60"	2001M-PC
Radiotransparent Pads, sterile packaging	6.1 x 4.5"	60"	2502M
Radiotransparent Pads, carbon leadwires	6.1 x 4.5"	60"	2001M-C
Radiotranslucent Pads	6.1 x 4.5"	60"	2516M
Radiotranslucent Pads, pre-connect packaging	6.1 x 4.5"	60"	2516M-PC

Infant and Mini-Infant Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Infant	4.3 x 2.8"	60"	2603M
Radiotranslucent Pads, Mini-Infant	2.9 x 2.2"	24"	2602M

Multifunction Electrodes with Universal/Anderson Connector*

Electrodes with the Universal/Anderson Connector can be utilized in environments with multiple brands of defibrillators (via PadPro adapters)

Adult/Child Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotransparent Pads	6.1 x 4.5"	60"	2001
Radiotransparent Pads, pre-connect packaging	6.1 x 4.5"	60"	2001-PC
Radiotransparent Pads, sterile packaging	6.1 x 4.5"	60"	2502
Radiotransparent Pads, carbon leadwires	6.1 x 4.5"	60"	2001-C
Radiotransparent Pads, with large-posterior pad	9.0 x 6.0"	60"	2001-EPS
Radiotranslucent Pads	6.1 x 4.5"	60"	2516
Radiotranslucent Pads, pre-connect packaging	6.1 x 4.5"	60"	2516-PC

Infant and Mini-Infant Electrodes	Pad Size	Leadwire	Ref. No.
		Length	
Radiotranslucent Pads, Infant	4.3 x 2.8"	60"	2603
Radiotranslucent Pads, Mini-Infant	2.9 x 2.2"	24"	2602



Physio-Control®



Universal/Anderson

*Product and company names listed are trademarks or trade names of their respective companies. For compatibility, refer to Directions For Use.



3700



1510



2350

ECG ELECTRODES

With a variety of shapes, sizes, gels, materials, adhesions levels, and applications to offer, CONMED can meet all your ECG electrode monitoring needs. Standardize your health system to CONMED electrodes today!

CONMED makes its own proprietary gel formulations at its Utica, NY location. We offer both wet and solid gel options, repositionable gel designed to minimize skin irritation for our elderly, pediatric, and neonatal patients, and resting ECG gel designed to have more aggressive adhesion.

Gel Type

Solid Conductive Adhesive Gel

Also referred to as Hydrogel, this gel provides strong signals and stable baselines.

Wet Gel

Along with providing strong signals and stable baselines, wet gel electrodes provide a quick signal acquisition.

Repositionable Gel

Designed for use by patients who have sensitive skin. Due to the absence of an acrylic adhesive border, the repositionable electrodes help minimize skin irritation. Electrode can be repositioned while maintaining adequate adhesion.

Resting Tab Gel

Provides adequate adhesion for your diagnostic ECG needs.

Material Type

Tape

Allows for visual monitoring of the patient's skin condition. Perforated tape permits skin ventilation and moisture evaporation for increased patient comfort.

Foam

Closed cell foam keeps fluids from penetrating.

Cloth

Soft woven cloth material designed to provide optimum patient comfort.

Pre-Attached Leadwires

Available in both cloth and tape options designed for pediatric patients to help reduce cross contamination between patients.

Mylar

Polyester film substrate used on most ECG Tab Electrodes.

1720



3700



2350



2321C



2320C



1915





3700



1510



2350

Adult Tape Conductive Adhesive Electrodes

Clear NeoDerm® tape allows visual monitoring of the patient's skin condition at all times. Perforated tape permits skin ventilation and moisture evaporation for increased patient comfort. Conforms to patient's body without pulling on their skin. Will not absorb fluids. Not made with natural rubber latex.

General Purpose

The Cleartrace® electrode is offered with a durable metal snap or a carbon-based radiotranslucent snap (RTL).

Cleartrace® Size: 1.75 in. (4.4 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
General Purpose							
Cleartrace® 1.75" Diameter	1700-001	1	30	600	Tape	■ Solid Gel	
	1700-003	3	30	600	Tape	■ Solid Gel	
	1700-005	5	50	600	Tape	■ Solid Gel	
	1700-030	30	-	600	Tape	■ Solid Gel	
	1700-050	50	-	1000	Tape	■ Solid Gel	

Cleartrace® RTL Radiotranslucent Size: 1.75 in. (4.4 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Radiotranslucent							
Cleartrace® RTL 1.75" Diameter	1700C-003	3	30	600	Tape	■ Solid Gel	yes
	1700C-005	5	50	600	Tape	■ Solid Gel	yes
	1700C-010	10	-	1000	Tape	■ Solid Gel	yes
	1700C-050	50	-	1000	Tape	■ Solid Gel	yes

Long Term Monitoring

Square/oval shape adds “staying power” to the design — up to seven days of use. Available with a metal snap (Cleartrace® 2 LT) or a carbon snap for radiotranslucent monitoring (Cleartrace® 2–2700).

Cleartrace®2 Radiotranslucent Size: 2 in. (5.1 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Long Term							
Cleartrace® 2 2" Diameter	2700-001	1	30	600	Tape	■ Solid Gel	yes
	2700-003	3	30	600	Tape	■ Solid Gel	yes
	2700-005	5	50	600	Tape	■ Solid Gel	yes
	2700-030	30	-	600	Tape	■ Solid Gel	yes

Adult Tape Wet Gel Electrodes

Wet gel formulation for strong signals and stable baselines. Available with radiotranslucent (Invisatrace®—1680) carbon. Tab for easy application and removal. Clear NeoDerm® tape gives patient comfort and fluid proof performance. Ability to monitor skin condition at all times.

Invisatrace® Radiotranslucent Size: 1.8 in. (4.6 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Wet Gel							
Invisatrace® 1.8" Diameter	1680-001	1	30	600	Tape	💧 Wet Gel	yes
	1680-003	3	30	600	Tape	💧 Wet Gel	yes
	1680-005	5	50	600	Tape	💧 Wet Gel	yes
	1680-030	30	-	600	Tape	💧 Wet Gel	yes

1720



1800



2350



2321C



2320C



1915





1800



3700



1510



1500



1680

MR

Adult Foam Conductive Adhesive Gel Electrodes

Closed cell foam keeps fluids from penetrating. Pull-tab makes it easy to apply and remove the electrode. Available in general purpose and diaphoretic adhesive.

General Purpose

NEW – Introducing the NEW TotalTrace™ ECG Electrode – developed with both the patient and clinician in mind. This general purpose adult foam electrode is optimized with features designed to answer the clinical needs of hospitals and outpatient centers.

TotalTrace™

Size: 1.5 in x 1.2

Product	Catalog Number	Pouch	Packaging Box	Case	Radiolucent & MR Safe
TotalTrace™ 1.5" x 1.2"	3700-003	3	30	600	
	3700-005	5	50	600	
	3700-050	50	-	1000	
	3700C-003	3	30	600	yes
	3700C-005	5	50	600	yes
	3700C-050	50	-	1000	yes

The small, tear-drop shape of the Suretrace® and Suretrace RTL electrodes provides flexibility for electrode placement and adequate adhesion for general purpose monitoring applications.

Suretrace®

Size: 1.8 in. (4.4 cm)

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Suretrace® 1.8" Diameter	1800-001	1	30	600	Foam	■ Solid Gel	
	1800-003	3	30	600	Foam	■ Solid Gel	
	1800-005	5	50	600	Foam	■ Solid Gel	
	1800-030	30	-	600	Foam	■ Solid Gel	
	1800-050	50	-	1000	Foam	■ Solid Gel	

Suretrace® RTL Radiotranslucent

Size: 1.8 in. (4.4 cm)

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Suretrace® RTL 1.8" Diameter	1800C-003	3	30	600	Foam	■ Solid Gel	yes
	1800C-005	5	50	600	Foam	■ Solid Gel	yes
	1800C-050	50	-	1000	Foam	■ Solid Gel	yes

Diaphoretic

Designed with a larger tear-drop shape and a more robust foam adhesive, the Positrace® and Positrace RTL electrodes provide a more aggressive adhesive for more challenging or diaphoretic applications.

Positrace® Diaphoretic Size: 2.0 in. (5.1 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Positrace® 2" Diameter	1870-003	3	30	600	Foam	■ Solid Gel	
	1870-005	5	50	600	Foam	■ Solid Gel	
	1870-030	30	-	600	Foam	■ Solid Gel	
	1870-050	50	-	1000	Foam	■ Solid Gel	

Positrace® RTL Diaphoretic Radiotranslucent Size: 2.0 in. (5.1 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Positrace® RTL 2" Diameter	1870C-003	3	30	600	Foam	■ Solid Gel	yes
	1870C-004	4	40	600	Foam	■ Solid Gel	yes
	1870C-005	5	50	600	Foam	■ Solid Gel	yes
	1870C-050	50	-	1000	Foam	■ Solid Gel	yes

1870



1590



1550



2700



1510



1590



1500

MR



1550

MR



Adult Foam Wet Gel Electrodes

Wet gel electrodes for quick signal acquisition. Available in general purpose and diaphoretic adhesive formulations for all application levels.

General Purpose

Exactrace® Size: Size: 2.0 in. (5.1 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Exactrace® 2" Diameter	1510-001	1	30	600	Foam	Wet Gel	
	1510-003	3	30	600	Foam	Wet Gel	
	1510-005	5	50	600	Foam	Wet Gel	
	1510-030	30	-	600	Foam	Wet Gel	

Diaphoretic

Instatrace® Diaphoretic Size: 2.0 in. (5.1 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Instatrace® (Diaphoretic) 2" Diameter	1590-003	3	30	600	Foam	Wet Gel	
	1590-005	5	50	600	Foam	Wet Gel	
	1590-030	30	-	600	Foam	Wet Gel	

Adult Foam Wet Gel Electrodes - Radiotranslucent

Wet gel electrode for quick signal retention. Available in general purpose and diaphoretic adhesion for all levels of application. Radiotranslucent snap.

General Purpose

Dyna/Trace® Foam Wet Gel Size: 1.9 in. (4.8 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Dyna/Trace® 1.9" Diameter	1500-001	1	30	600	Foam	Wet Gel	yes
	1500-003	3	30	600	Foam	Wet Gel	yes
	1500-005	5	50	600	Foam	Wet Gel	yes
	1500-030	30	-	600	Foam	Wet Gel	yes

Diagnostic

Dyna/Trace® Stress Size: 2.0 in. (5.1 cm) diameter

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Dyna/Trace® Stress 2" Diameter	1550-005	5	50	600	Foam	Wet Gel	yes



Repositionable ECG Electrodes – Tape

Specially formulated conductive adhesive gel does not dry out and allows for extended wear without irritating the patient's skin. Transparent tape allows visual monitoring of the skin under the electrode. Cleartrode™ is rewettable for cost-effective, long-term use and ease of application and removal.

- Available with durable metal snap or carbon-based radiotranslucent (RTL) snap.

Cleartrode™ Size: 1 in. (2.5 cm) diameter

Product	Product Number	Pouch	Case	Material Type	Gel Type	Radiolucent & MR Safe
Tape						
Cleartrode™ 1" Diameter	1720-003	3	300	Tape	Repositional ↔ Gel	

Repositionable ECG Electrodes – Cloth

- Soft fabric material and mild conductive adhesive provide secure, comfortable electrode contact.
- Humidity has little effect on Softrace® electrodes' ability to stick or to be removed without damaging fragile skin.
- Specially formulated conductive adhesive gel does not dry out and allows for extended wear without irritating the patient's skin.
- Softrace® electrodes are rewettable for cost-effective long term use and ease of application and removal.
- Available with durable metal snap or carbon-based radiotranslucent (RTL) snap.
- Available in three sizes (small, medium and large) for optimal placement and application for all patient sizes.
- PVC free.

Softrace®

Product	Product Number	Pouch	Case	Material Type	Gel Type	Radiolucent & MR Safe
Cloth						
Softrace® Small .9" x .9"	2320-003	3	300	Cloth	Repositional ↔ Gel	
Softrace® Small RTL .9" x .9"	2320C-003	3	300	Cloth	Repositional ↔ Gel	yes
Softrace® Medium 1.25" x .9"	2330-003	3	300	Cloth	Repositional ↔ Gel	
Softrace® Medium RTL 1.25" x .9"	2330C-003	3	300	Cloth	Repositional ↔ Gel	yes
Softrace® Large 1.25" x 1.25"	2350-005	5	600	Cloth	Repositional ↔ Gel	
Softrace® Large RTL 1.25" x 1.25"	2350C-005	5	600	Cloth	Repositional ↔ Gel	yes



1720



Softrace® Small 2300



Softrace® Small RTL

MR



Softrace® Medium



Softrace® Medium RTL

MR



Softrace® Large



Softrace® Large RTL

MR



1620



1731



1741



2321



2321-003



2331-003



2310



Leadwires Pre-Attached

Pediatric/Neonatal ECG Electrodes – Tape With Wire Attached

Available in a variety of sizes and materials, CONMED pediatric and neonatal electrodes are specifically designed to adhere well to delicate skin while helping to avoid skin irritation. These dedicated products offer a more comfortable, streamlined and effective experience for clinicians and their young patients.

Product	Product Number	Pouch	Case	Material Type	Gel Type	Radiolucent & MR Safe
Cloth						
Neotrode® 1" x 1"	1731C-003	3	300	Tape	Repositional Gel	
Neotrode® II 1" x 1.2"	1741C-003	3	300	Tape	Repositional Gel	
Radiolucent (RTL) Leadwires Pre-Attached						
Neotrode® RTL 1" x 1"	1731C-003	3	300	Tape	Repositional Gel	RTL Only
Neotrode® II 1" x 1.2"	1741C-003	3	300	Tape	Repositional Gel	RTL Only

Pediatric/Neonatal ECG Electrodes – Cloth With Wire Attached

Soft fabric backing and mild conductive adhesive provide secure, comfortable electrode contact. Small size and extremely low profile increases your placement options. Humidity has little effect on Softrace® electrodes' ability to stick or to be removed without damaging fragile skin. Available in two sizes for differing size requirements.

Product	Product Number	Pouch	Case	Material Type	Gel Type	Radiolucent & MR Safe
Softrace® Neonatal .9" x .9"	2321C-003	3	300	Cloth	Repositional Gel	
Softrace® Pediatric .9" x 1.2"	2331C-003	3	300	Cloth	Repositional Gel	
Radiolucent (RTL) Leadwires Pre-Attached						
Softrace® Small RTL .9" x 1.2"	2321C-003	3	300	Cloth	Repositional Gel	RTL Only
Softrace® Medium RTL .9" x .9"	2331C-003	3	300	Cloth	Repositional Gel	RTL Only

Limb Band

Limb band can be applied and secured to baby's arms and legs when ample chest space is not available. Ideal for infants who are highly active. Soft fabric backing and mild conductive adhesive provide secure, comfortable electrode contact. Humidity has little effect on Softrace electrodes' ability to stick or to be removed without damaging fragile skin.

Product	Product Number	Pouch	Case	Material Type	Gel Type	Radiolucent & MR Safe
Softrace® Limb Band .7" x .9"	2310-03	3	300	Cloth	Repositional Gel	

Pediatric/Neonatal ECG Electrode - Snap Style

Clear NeoDerm® tape allows visual monitoring of the child's skin condition at all times. Low chloride gel and light adhesive coat weight reduces the possibility of skin irritation. Huggables® hug the skin, minimizing motion artifact. Perforated tape permits skin ventilation and moisture evaporation to increase comfort. Tab provides for easy application and removal. Wet gel formulation is gentle to the skin.

Product	Product Number	Pouch	Case	Material Type	Gel Type	Radiolucent & MR Safe
Huggables® Snap Wet Gel 1.25" diameter	1620-001	1	600	Tape	Wet Gel	
Huggables® Snap Wet Gel 1.25" diameter	1620-003	3	600	Tape	Wet Gel	

ECG Backpads

- Silver/Silver Chloride Sensors for maximum performance.
- Pre-gelled to ensure quick and easy application.
- Convenient, one step application for ease of patient setup.
- Designed for placement on patient's back to allow maximum exposure of chest area.
- Dense, low profile foam that conforms to patient skin while reducing fluid absorption.
- Generous adhesive area that keeps Backpad in place, even when exposed to OR prep solutions.
- Disposable electrode/leadwire system to eliminate cross contamination.
- Infant and Adult sizes to accommodate all patients.
- Specialty adapters available for 5 lead monitoring and ease in conversion to R series safety leadwires.
- Radiotranslucent electrode for x-ray applications.

ECG Backpads

Ref. No.

Adult Backpad, 1/pkg, 50/cs	
Size: 6.5 in. (16.5 cm) X 7.5 in (19.1 cm)	01-3130
Infant Backpad, 1/pkg, 50/cs	
Size: 3.5 in. (8.9 cm) X 6 in (15.2 cm)	01-4130

ECG Strippers

- Closed cell foam electrodes keeps fluids from penetrating.
- Wet gel formula provides quick ECG signal retention.
- Pull tab makes it easy to apply and remove electrode.
- One piece, pre-attached leadwire system to minimize the patient set-up time, leadwire tangling, and eliminate cross contamination.
- "Strippable" leadwire construction so each leadwire can be "stripped" to desired length.

ECG Strippers

Ref. No.

Adult 5 Lead, 1/pkg, 25/bx, 100/cs	
Size: 2.25 in. (5.7 cm) diameter	38-402-1
Adult 4 Lead, 1/pkg, 25/bx, 100/cs	
Size: 2.25 in. (5.7 cm) diameter	38-404-1


Note: Above products must be used with a Molex style CONMED cable.




Adult Backpad 01-3130




Infant Backpad 01-4130





4 Lead 38-404-1



5 Lead 38-402-1



38-495-4



Cables

CONMED ECG Backpads and ECG Strippers utilize a durable, low profile molex style connector compatible only with CONMED ECG cables. Visit our web site (www.CONMED.com) or contact your local sales representative to determine if CONMED has a cable for your monitoring needs.

CONMED has got you covered...

Here are some of the more common ECG monitors with a listing of the correct CONMED ECG cables. Visit our website for a complete list of cables.

4 – 5 Lead Configurations

Manufacturer	4 Lead	5 Lead
Datascope 2000/3000/Passport Series	38-464-1	38-464-5
Datex-Ohmeda AS/3, AS/5	38-495-4	38-495-5
GE/Critikon Dinamap Series	38-455-1	38-455-5
GE/Marquette Eagle, Solar, Tram Series	38-466-1	38-406-5
Invivo/MDE Escort Series	38-455-1	38-455-5
Philips/HP with 12 pin connectors	38-485-1	38-448-5
Spacelabs PC Series	38-455-1	38-455-5
Welch Allyn/Protocol Systems	38-455-1	38-455-5

Accessories

Fifth Lead Adapter

The 38-610-H adapter allows the customer to use a backpad and one additional electrode at the same time. This permits the monitoring of five electrode sites, where the backpad alone only monitors four sites. The fifth electrode is sometimes referred to as a roving lead because the clinician has the ability to move it to any location. This adapter uses a CONMED R series leadwire that must be ordered separately. **Note: the use of this adapter requires a five lead backpad cable.**

	Ref. No.
Fifth Lead Adapter	38-610-H

R Series Adapter

The 38-620-R adapter allows the customer to convert the backpad/stripper cable into a five lead R series cable. In this way customers who use backpads as well as standard ECG electrodes need only have one cable for both applications. This adapter uses five CONMED R series leadwires that must be ordered separately. **Note: the use of this adapter requires a five lead backpad cable.**

	Ref. No.
R Series Adapter	38-620-R

Tab Style Electrodes

With a variety of shapes, sizes, gel types and materials, CONMED has a resting ECG tab electrode for your diagnostic monitoring needs.

Product	Catalog Number	Pouch	Box Qty	Case	Material Type	Gel Type	Radiolucent & MR Safe
Fastrace® 4 1.3" x .8"	1915-100	100	-	1000	Mylar	Solid Gel	RTL Only
Heartbeat 1.2" x .8"	1925-100	100	-	600	Mylar	Repositional Gel	RTL Only

Alligator Clip Adapters

Alligator clip adapters, 6" (15.2cm) long.

	Ref. No.
Banana (4mm) Receptacle.....	ACB
.117" (3mm) Receptacle	ACF
.125" (3.2mm) Receptacle	ACP

Bi-Directional Clip Adapters

Bi-directional clip adapters, 6" (15.2cm) long.

	Ref. No.
Banana (4mm) Receptacle.....	HPB-B
.117" (3mm) Receptacle	HPF-B
.125" (3.2mm) Receptacle	HPP-B

One Piece Adapter

	Ref. No.
Fits banana (4mm) plugs.....	HPH-BLUE
Fits .125" (3.2mm) pins	HPH-RED

Universal Adapter

	Ref. No.
Fits 3mm and 4mm receptacles.....	UMCL



1915-100



1925-100




ACP



HPB-B



HPH-BLUE



UMCL



RLB-05



SNP

Snaptrace® Adapters

Grabber Adapters	Ref. No.
Five 6"/15.2cm adapters: grabber to banana (4mm) receptacle, 1 each Grn, Red, Wht, Blk, Brn.	RLB-05
Ten 6"/15.2cm adapters: grabber to banana (4mm) receptacle, 1 each Grn, Red, Wht, Blk, & 6 Brn with V-Lead grabber caps.	RLB-10
Five 6"/15.2cm adapters: grabber to .125"/3.2mm receptacle, 1 each Wht, Grn, Brn, Red, Blk.	RLP-05
Ten 6"/15.2cm adapters: grabber to .125"/3.2mm receptacle, 1 each Wht, Grn, Red, Blk, & 6 Brn with V-Lead grabber caps.	RLP-10

Snap Adapters	Ref. No.
Ten 6"/15.2cm adapters: snap to banana (4mm) receptacle.	SNB
Ten 6"/15.2cm adapters: snap to .117"/3.0mm (3mm) receptacle	SNF
Ten 6"/15.2cm adapters: snap to .125"/3.2mm receptacle.	SNP

See ECG Cable Cross Reference Guide for compatibility to specific monitors at CONMED.com

R Series ECG Safety Cable System

Excellent monitoring results while removing the potential of electrical shock from exposed pins. Provides an inexpensive solution to ECG cable and leadwire needs. Provides the ability to standardize on one cable system throughout the facility. Cables are available in 3 and 5 lead versions. Leadwires are available as snap or grabber in a variety of lengths. Backed by a one year Cable Warranty. Specifically designed to accept the leadwires from CONMED's Pediatric/Neonatal ECG electrodes.

	Ref. No.
3 Lead Cable — Blk, Grn, Wht.....	R3_ _
3 Lead Cable (Lead II) — Blk, Red, Wht.....	R3_ _ II
5 Lead Cable.....	R5_ _

R Series Safety Leadwires

Designed for use with R-Series safety cables.

	Ref. No.
Five 24"/61.0cm snap leadwires- Blk, Brn, Grn, Red, Wht	RA24-05
Five 36"/91.4cm snap leadwires- Blk, Brn, Grn, Red, Wht	RA36-05
Three 18"/45.7cm grabber leadwires- Blk, Grn, Wht	RL18-03
Three 18"/45.7cm grabber leadwires- Blk, Red, Wht.....	RL18-03II
Five 18"/45.7cm grabber leadwires- Blk, Brn, Grn, Red, Wht	RL18-05
Three 24"/61.0cm grabber leadwires- Blk, Grn, Wht	RL24-03
Three 24"/61.0cm grabber leadwires- Blk, Red, Wht.....	RL24-03II
Five 24"/61.0cm grabber leadwires- Blk, Brn, Grn, Red, Wht	RL24-05
Three 36"/91.4cm grabber leadwires- Blk, Grn, Wht	RL36-03
Three 36"/91.4cm grabber leadwires- Blk, Red, Wht.....	RL36-03II
Five 36"/91.4cm grabber leadwires- Blk, Brn, Grn, Red, Wht	RL36-05




R Series



RA24-05



RL18-05



FSR Series



FSP18-005



FSP24-003

FSR Series Fully Shielded ECG Safety Cable System

Provides excellent monitoring results with complete shielding from end to end. Provides the ability to standardize to one cable system throughout the facility. Shielded cables and leadwires protect against electrical interference. Cables are available in 3 and 5 lead versions. Leadwire options include a variety of length and snap or grabber connection.

	Ref. No.
FSR 3 Lead Cables — Blk, Grn, Wht	FSR3_ _ or FSR13_ _
FSR 3 Lead Cables (Lead II) — Blk, Red, Wht	FSR3_ _ R
FSR 5 Lead Cables.....	FSR5_ _ or FSR15_ _

FSR Shielded Safety Leadwires

Designed for use with FSR safety cables

	Ref. No.
Three 18"/45.7cm snap leadwires - Blk, Grn, Wht	FSP18-003
Three 18"/45.7cm snap leadwires - Blk, Red, Wht.....	FSP18-003R
Five 18"/45.7cm snap leadwires - Blk, Brn, Grn, Red, Wht	FSP18-005
Three 24"/61.0cm snap leadwires - Blk, Grn, Wht	FSP24-003
Three 24"/61.0cm snap leadwires - Blk, Red, Wht.....	FSP24-003R
Five 24"/61.0cm snap leadwires - Blk, Brn, Grn, Red, Wht	FSP24-005
Three 40"/101.6cm snap leadwires - Blk, Grn, Wht	FSP40-003
Three 40"/101.6cm snap leadwires - Blk, Red, Wht.....	FSP40-003R
Five 40"/101.6cm snap leadwires - Blk, Brn, Grn, Red, Wht	FSP40-005
Three 18"/45.7cm grabber leadwires - Blk, Grn, Wht	FSA18-003
Three 18"/45.7cm grabber leadwires - Blk, Red, Wht.....	FSA18-003R
Five 24"/61.0cm grabber leadwires - Blk, Brn, Grn, Red, Wht	FSA24-005
Three 40"/101.6cm grabber leadwires - Blk, Grn, Wht.....	FSA40-003
Three 40"/101.6cm grabber leadwires - Blk, Red, Wht.....	FSA40-003R
Five 40"/101.6cm grabber leadwires - Blk, Brn, Grn, Red, Wht	FSA40-005

D Series Individually Shielded ECG Safety Cable System

Provides excellent monitoring results with individual shielding from end to end. Designed to be used in situations and on equipment where the highest quality noise free signal is required. Provides the hospital with a superior solution to ECG cable and leadwire needs. Provides the ability to standardize to one cable system throughout the facility. Individually shielded cables and leadwires protect against motion artifact and electrical interference. Cables are available in 3, 5, 8, and 10 wire options. Backed by a three year Cable Warranty. Leadwire options include a variety of styles, lengths and connections. Exclusive Lead-Lock mechanism provides positive locking for each individual lead. The original ECG Safety Cable. U.S. Patent Number 4227762.

	Ref. No.
3 Lead Cable — Blk, Grn, Wht.....	D83_ _
3 Lead Cable (Lead II) — Blk, Red, Wht.....	D83_ _II
5 Lead Cable.....	D85_ _
10 Lead Cable.....	D80_ _


D Series Shielded Safety Leadwires - Snap Style

Designed for use with D Series safety cables

	Ref. No.
Three 24"/61.0cm snap leadwires - Wht, Grn, Blk	DA24-03
Three 24"/61.0cm snap leadwires - Wht, Red, Blk.....	DA24-03II
Five 24"/61.0cm snap leadwires - Wht, Red, Brn, Grn, Blk.....	DA24-05
Three 36"/91.4cm snap leadwires - Wht, Grn, Blk	DA36-03
Three 36"/91.4cm snap leadwires - Wht, Red, Blk.....	DA36-03II
Five 36"/91.4cm snap leadwires - Wht, Red, Brn, Grn, Blk.....	DA36-05
Three 54"/137.2cm snap leadwires - Wht, Red, Blk	DA54-03II
Five 54"/137.2cm snap leadwires - Wht, Red, Brn, Grn, Blk	DA54-05
Five 72"/182.9cm snap leadwires - Wht, Red, Brn, Grn, Blk.....	DA72-05




D Series



DA36-05



DL36-10



DP10

D Series Shielded Safety Leadwires - Grabber Style

Designed for use with D Series shielded safety cables

	Ref. No.
Three 24"/61.0cm grabber leadwires - Wht, Grn, Blk	DL24-03
Three 24"/61.0cm grabber leadwires - Wht, Red, Blk	DL24-03II
Five 24"/61.0cm grabber leadwires - Wht, Red, Brn, Grn, Blk	DL24-05
Six 24"/61.0cm grabber leadwires - V leads	DL24-06V
Ten grabber leadwires with 10A colors (Limb leads 36"/91.4cm, Chest leads 24"/61.0cm)	DL10
Three 36"/91.4cm grabber leadwires - Wht, Grn, Blk	DL36-03
Three 36"/91.4cm grabber leadwires - Wht, Red, Blk	DL36-03II
Four 36"/91.4cm grabber leadwires - Wht, Grn, Blk	DL36-04
Five 36"/91.4cm grabber leadwires - Wht, Red, Brn, Grn, Blk	DL36-05
Six 36"/91.4cm grabber leadwires - V leads	DL36-06V
Ten 36"/91.4cm grabber leadwires with 10A colors	DL36-10
Ten 48"/121.9cm grabber leadwires with 10A colors	DL48-10
Three 54"/137.2cm grabber leadwires - Wht, Grn, Blk	DL54-03
Three 54"/137.2cm grabber leadwires - Wht, Red, Blk	DL54-03II
Five 54"/137.2cm grabber leadwires - Wht, Red, Brn, Grn, Blk	DL54-05
Ten 54"/137.2cm grabber leadwires with 10A colors	DL54-10
Four 72"/182.9cm grabber leadwires - Wht, Grn, Blk	DL72-04
Five 72"/182.9cm grabber leadwires - Wht, Red, Brn, Grn, Blk	DL72-05
Ten 72"/182.9cm grabber leadwires with 10A colors	DL72-10

Diagnostic Safety Leadwires

Designed for use with D Series shielded safety cables

	Ref. No.
Five .125" pin style leadwires varying in length as follows: 1 ea. White RA 35" 1 ea. Red LL 39" 1 ea. Black LA 35" 1 ea. Green RL 39" 1 ea. Brown C 27"	DP05
Ten .125" pin style leadwires varying in length as follows: 1 ea. White RA 35" 1 ea. Red LL 39" 1 ea. Black LA 35" 1 ea. Green RL 39" 6 ea. Brown V1-V6 27"	DP10

Radiotranslucent Safety Leadwires

Designed for use with D Series Safety Cables

	Ref. No.
Five 36"/91.4cm leadwires – D Series plug to grabber.....	RTD36-05
Five 48"/121.9cm leadwires – D Series plug to grabber.....	RTD48-05
Five 72"/182.9cm leadwires – D Series plug to grabber.....	RTD72-05
Ten 36"/91.4cm leadwires – D Series plug to grabber	RTD36-10


	Ref. No
Designed for use with R Series Safety Cables	
Five 36"/91.4cm leadwires – .059" safety socket to grabber.....	RTRG36-05
Five 48"/121.9cm leadwires – .059" safety socket to grabber.....	RTRG48-05
Five 72"/182.9cm leadwires – .059" safety socket to grabber.....	RTRG72-05



RTD48-05 D Series



RTRG48-05 R Series



Disposable Leadwires

Disposable Leadwires

Engineered to help reduce the risk of HAIs that could be caused by reusable leadwires, CONMED's Disposable ECG Leadwires are designed to be a safe, simple and convenient solution that is compatible with a wide range of ECG monitors.

Disposable ECG Leadwires


	Ref. No.
3-Lead, Snap, 72", 25/case	RDA72-03
5-Lead, Snap, 72", 25/case	RDA72-05
3-Lead, Grab, 72", 25/case	RDL72-03
5-Lead, Grab, 72", 25/case	RDL72-05



NEUROLOGY PRODUCTS



BRAINSTREAM™ Disposable
Deep Cup EEG Electrodes



BRAINSTREAM™ Disposable Deep Cup EEG Electrodes

Why Use Disposable EEG Cup Electrodes?

Reusable electroencephalography cup electrodes are characterized as semicritical¹ devices and require comprehensive reprocessing to prevent infections, as the skin is abraded prior to application.

A recent multi-center, prospective, microbiologic evaluation of cleaned reusable EEG cups at four epilepsy monitoring units, conducted by Nancy Albert and published in the American Journal of Infection Control in 2018, concludes that 22.5% of cleaned reusable EEG cup electrodes had bacteria that were potential or at risk for infection. Further, epithelial cells were found on 60.5% of cleaned, ready to use reusable EEGs.²

The High Cost of HAIs

Annually, approximately 2 million patients suffer with healthcare-associated infections (HAIs) in the USA, and nearly 90,000 are estimated to die. The overall direct cost of HAIs to hospitals ranges from US \$28 billion to \$45 billion. While the range is wide, HAIs are clearly expensive.³

BRAINSTREAM™ Disposable Deep Cup EEG Electrodes


Ref. No.

Disposable Deep Cup EEG Electrode: 100cm /40" Leadwire length, 10 colors, 36 month shelf-life, 10 electrodes/pouch, 12 pouches/case	72610-M-CM-10
Disposable Deep Cup EEG Electrode: 150cm /60" Leadwire length, 10 colors, 36 month shelf-life, 10 electrodes/pouch, 12 pouches/case	72615-M-CM-10
Disposable Deep Cup EEG Electrode: 200cm /80" Leadwire length, 10 colors, 36 month shelf-life, 10 electrodes/pouch, 12 pouches/case	72620-M-CM-10
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 25; 100cm/40" Leadwire Length, 10 colors, 36 month shelf-life, 25 electrodes/pouch, 12 pouches/case	72610-M-CM-25
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 27; 100cm/40" Leadwire Length, 10 colors, 36 month shelf-life, 27 electrodes/pouch, 12 pouches/case	72610-M-CM-27
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 21; 150cm/60" Leadwire Length, 10 colors, 36 month shelf-life, 21 electrodes/pouch, 12 pouches/case	72615-M-CM-21
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 21; 150cm/60" Leadwire Length, 10 colors, 36 month shelf-life, 24 electrodes/pouch, 12 pouches/case.....	72615-M-CM-24
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 25; 150cm/60" Leadwire Length, 10 colors, 36 month shelf-life, 25 electrodes/pouch, 12 pouches/case.....	72615-M-CM-25
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 26; 150cm/60" Leadwire Length, 10 colors, 36 month shelf-life, 26 electrodes/pouch, 12 pouches/case	72615-M-CM-26
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 27; 150cm/60" Leadwire Length, 10 colors, 36 month shelf-life, 27 electrodes/pouch, 12 pouches/case	72615-M-CM-27
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 25; 200cm/80" Leadwire Length, 10 colors, 36 month shelf-life, 25 electrodes/pouch, 12 pouches/case	72620-M-CM-25
Disposable Deep Cup EEG Electrodes: Single Patient Packaging, 27; 200cm/80" Leadwire Length, 10 colors, 36 month shelf-life, 27 electrodes/pouch, 12 pouches/case	72620-M-CM-27


¹ ScottNK. Infection Prevention:2013 Review and Update for Neurodiagnostic Technologists. Neurodiagn J. 2013, 53:271-288. ² AlbertNM. Contamination of reusable electroencephalography electrodes: A multicenter study. American Journal of Infection Control, 2018, 46(12), 1360-1364. ³ Stone PW. Economic burden of healthcare-associated infections: an American perspective. Expert Rev Pharmacoecon Outcomes Res. 2009;9(5):417-22.




CRITICAL CARE PRODUCTS




3311-V




3311-F




3312-V



3312-F



3313-C



3314-C



2010

Pulse Oximetry Sensors

A complete line of disposable and reusable pulse oximetry sensors designed for use with equipment from major manufacturers. CONMED's line of disposable sensors are clinically tested and validated for accuracy and performance.

Disposable Sensors

Available in vinyl-, foam- and cloth-adhesive versions for adults, pediatrics, infants and neonates.

	Ref. No.
Adult Vinyl Sensor (Nelcor compatible, C-Shape); 24/case	3311-V
Adult Foam Sensor (Nelcor compatible, C-Shape); 24/case	3311-F
Adult Vinyl Sensor (Nelcor compatible); 24/Case	2311

	Ref. No.
Pediatric Vinyl Sensor (Nelcor compatible, C-Shape); 24/case	3312-V
Pediatric Foam Sensor (Nelcor compatible, C-Shape); 24/case	3312-F
Pediatric Vinyl sensor (Nelcor compatible)24/Case	2312

	Ref. No.
Infant Cloth Sensor (Nelcor compatible, C-Shape); 24/case	3313-C
Infant Cloth Sensor (Nelcor compatible); 24/case	2313

	Ref. No.
Neonate Cloth Sensor (Nelcor compatible, C-Shape); 24/case	3314-C
Neonate Cloth Sensor (Nelcor compatible); 24/case	2314

Reusable Sensors

Rugged reusable sensors with heavy-duty spring action. Compatible with a number of manufacturers' oximeters.

	Ref. No.
Adult Reusable Finger Clip (Nelcor compatible).....	2010
Adult/Pediatric Y-Site (Nelcor compatible).....	2210

Extension Cables and Other Accessories


CONMED offers a broad line of cables and acc

	Ref. No.
Nelcor Oximax Adapter Cable	2500GM




FERDINAND MEDICAL
Advanced Equipment, Trusted Care


SUCTION INSTRUMENTS & TUBING



0034870



0038730



0034970



0034470

A complete line of quality, disposable Suction Instruments and Tubing to meet your every need. One company, one goal — to satisfy the customer in the most cost-effective method possible.

Yankauer Instruments

Developed Circa 1907 by Dr. Charles Yankauer, the Yankauer Suction Instrument has become the most common suction instrument in the world. Its primary use is to aspirate fluid and debris from either a surgical site or body orifice (i.e. airway).

All CONMED Yankauer products have these features:

- Large lumen providing rapid aspiration
- Sturdy shatter-resistant construction enabling use for retraction
- Transparency allowing for clear visualization of fluids
- Side eyes to reduce traumatic tissue grab
- Sterile

Bulb Tip Yankauers

- Available with and without Control Vents
- Available with select tubing pre-attached
- Sterile

Bulb Tip Yankauer	Ref. No.
Without Control Vent, 50/case.....	0034870
With Control Vent, 50/case	0034880
Without Control Vent and 6' (1.8m) Tube pre-attached, 20/case.....	0034910
With Control Vent and 6' (1.8m) Tube pre-attached, 20/case	0034920
Without Control Vent and 10' (3m) Tube pre-attached, 20/case.....	0034950
With Control Vent and 10' (3m) Tube pre-attached, 20/case	0034960
With On/Off Control Switch, 50/case.....	0038730

Open Tip Yankauers

- Open tip style is ideal for pediatric cases and use by anesthesiologists
- Open tip permits access to tight spaces
- Available with and without Control Vents
- Available with select tubing pre-attached
- Sterile

Open Tip Yankauer	Ref. No.
Without Control Vent, 50/case.....	0034970
With Control Vent, 50/case	0034980

Cardiac Yankauer

- Fluted tip reduces tissue grab and protects against excessive suction
- Lumens extra length (11 1/2" or 29.5cm) affords a longer reach into deep cavities
- Sterile

Cardiac Yankauer	Ref. No.
Cardiac Yankauer, 50/case	0034470

Flexible Yankauer

Clear, flexible Yankauers are designed to meet all your suction needs. Available in three sizes; regular, large, and fine, they are shatter-resistant with a smooth inner lumen.

- Transparency allows for clear visualization of fluids
- Provides side eye vents to reduce the chance for tissue grab
- Single-use, sterile and non-sterile choices

Ref. No.

Flex Yank without Control Vent, Regular Tip, Bulk, Non Sterile packaging, 50/case.....	0034003
Flex Yank without Control Vent, Large Tip, Bulk, Non Sterile packaging, 50/case.....	0034004
Flex Yank without Control Vent, Fine Tip, Bulk, Non Sterile packaging, 50/case.....	0034005
Flex Yank without Control Vent, Regular Tip, Bulk packaging 400/case.....	9034003
Flex Yank without Control Vent, Large Tip, Bulk packaging 400/case.....	9034004
Flex Yank without Control Vent, Fine Tip, Bulk packaging 400/case.....	9034005

OrthoVAC™ Single-Use Suction Kit

For use in orthopedic total knee and hip arthroplasty, the OrthoVAC Single-Use Large Bore Suction System is a fully-customizable five-piece kit that features a large, 6mm bore Yankauer which is designed to reduce clogging for reliable and efficient particulate removal.

OrthoVAC™ Orthopedic Yankauer Kit

Ref. No.

Large Bore Yankauer, 11/32" tubing, two OrthoVAC™ adapters, one Pour Spout Adapter, does not include the canister.....	0037001
--	---------

Big Yank™ Suction Kit

The world's first truly large bore suction system designed to accommodate large particulate or viscous matter that typically clogs standard suction devices.

- Comes complete with handle, tip, canister connector and tubing
- Available in both bulb and open tip styles
- Available with and without Control Vents

Bulb Tip Big Yank™ Suction Kit

Ref. No.

Without Control Vent and 11/32" (9mm) I.D. x 6' (1.8m) Tube and Universal canister connector pre-attached, 10/case.....	0034910U
With Control Vent and 11/32" (9mm) I.D. x 6' (1.8m) Tube and Universal canister connector pre-attached, 10/case.....	0034920U
Without Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034950U
With Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034960U
Without Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034970U
With Control Vent and 11/32" (9mm) I.D. x 10' (3m) Tube and Universal canister connector pre-attached, 10/case.....	0034980U




Flexible Yankauer



OrthoVAC™ Single-Use Suction Kit
Canister not included



Big Yank™ Suction System



Frazier Instruments

Frazier instruments are used in open surgical procedures where fine, delicate suctioning is necessary to evacuate fluid and debris from the surgical site. CONMED offers the largest variety of disposable Frazier Instruments in the market today with a broad range of sizes and configurations to accommodate a spectrum of procedures.

All CONMED Frazier products have these features:

- Each instrument is supplied with an obturator to facilitate shaping of the shaft and clearing the instrument of obstructions.
- Sterile

Baron Frazier

- 3, 5, 7 French
- Specifically designed for microsurgery where delicate touch is paramount
- Malleable, stainless steel shaft with obturator
- Disc-shaped handle provides delicate touch and balance for microsurgery
- Special, lightweight and flexible tubing is available to enhance surgeon's dexterity

	Ref. No.
3 French Frazier with Vent, 50/case	0031030
5 French Frazier with Vent, 50/case	0031050
7 French Frazier with Vent, 50/case	0031070
Frazier Connecting Tubing 2' (.64m) Long, 5mm I.D 50/case	0031000

Standard Fraziers

- 8, 10, 12 and 18 French
- Malleable, aluminum shaft resists flaking
- Control vents allow suction control (18 French is non-vented)
- Full size handle provides a positive grip

	Ref. No.
8 French Frazier with Vent, 50/case	0033080
10 French Frazier with Vent, 50/case	0033100
12 French Frazier with Vent, 50/case	0033120
18 French Frazier, 50/case	0033180

Soft Tip Frazier

- Soft tip is made of PVC and helps reduce trauma to delicate tissue
- I.D. of the end of the PVC tip is 4.5 French versus the shaft I.D. of 10 French
- Ideal for vascular or neurosurgical procedures where vessel trauma is a concern
- Malleable, aluminum shaft resists flaking
- Full size handle provides a positive grip and has control vent

	Ref. No.
Soft Tip Frazier with Vent, (10 FR), 20/case	0031100

Olive Tip Frazier

- Olive tip has smooth side eyes that reduce chance for any tissue trauma
- I.D. of shaft is 10 French
- Can be used as a Pediatric Yankauer
- Ideal for suctioning and dissecting soft tissue
- Malleable, aluminum shaft to resist flaking
- Full size handle provides a positive grip and has control vent

	Ref. No.
Olive Tip Frazier with Vent (10 FR), 50/case	0033110



Poole Instrument

The Poole instrument is designed to evacuate pooled blood, fluid and debris during deep abdominal surgeries and cesarean sections.

- Versatile with three positions that quickly converts from gentle sump action to pinpoint suctioning capabilities
- Minimizes tissue grab with its protective sheath
- Sheath has 132 large eyes to provide efficient and rapid suction
- Available with select tubing pre-attached
- Sterile

Ref. No.

Poole Suction Instrument, 50/case 0035040

Poole Suction Instrument with 6' (1.8m) Tube pre-attached, 20/case 0035050

Poole Suction Instrument with 10' (3m) Tube pre-attached, 20/case 0035070

Sigmoid Instrument

The Sigmoid suction instrument is primarily used during sigmoidoscopy and colonoscopy procedures to evacuate blood, fluid and debris.

- Designed for use with a rigid sigmoidoscope
- Also useful for suctioning the femur during hip replacement procedures
- 18 French, 30cm
- On/Off suction control to minimize tissue grab
- Available with select tubing pre-attached
- Sterile

Ref. No.

Sigmoid Suction Instrument (18 FR, 30cm), 50/case 0033040

Sigmoid Suction with 6' (1.8m) Tube pre-attached (18FR, 30cm), 20/case 0033050




0035040



0035040

CONMED also offers a broad variety of these products in bulk, non-sterile configurations.



Suction Connecting Tubing

Suction Connecting Tubing

Suction Connecting Tubing serves as the conduit from which suction instruments evacuate fluid and debris into the vacuum canister and source. CONMED's Suction Connecting Tubing is available in Premium Connected, and Economy (100', 30.5m rolls) styles. In addition, a wide range of sizes and configurations allow for efficient and cost-effective setup.

Premium Connected

- Versatile connectors provide a secure fit
- Strong to provide high collapse resistance
- Soft, pliable and low memory for ease of use
- Available with male connectors
- Variety of pre-cut lengths from 1 1/2" (.46m) to 25' (7.6m)
- Three I.D. sizes — 3/16" (4.8mm), 1/4" (6.4mm) & 9/32" (7.1mm)
- Sterile (unless otherwise indicated)

	Ref. No.
3/16" (4.8mm) I.D. x 1 1/2' (.46m) Long, 50/case.....	0036470
3/16" (4.8mm) I.D. x 1 1/2' (.46m) Long, clean, non-sterile, 50/case.....	0048200
3/16" (4.8mm) I.D. x 3' (.9m) Long, 50/case	0037850
3/16" (4.8mm) I.D. x 6' (1.8m) Long with Male connector, 50/case.....	0034280
3/16" (4.8mm) I.D. x 6' (1.8m) Long, 50/case	0036480
3/16" (4.8mm) I.D. x 6' (1.8m) Long with Male & Female connectors, 50/case.....	0036580
3/16" (4.8mm) I.D. x 10' (3m) Long with Male connector, 50/case.....	0034310
3/16" (4.8mm) I.D. x 10' (3m) Long, 50/case	0036770
3/16" (4.8mm) I.D. x 12' (3.7m) Long with Male connector, 20/case.....	0034340
3/16" (4.8mm) I.D. x 12' (3.7m) Long, 20/case	0036560
3/16" (4.8mm) I.D. x 20' (6.1m) Long, 20/case	0036570
1/4" (6.4mm) I.D. x 6' (1.8m) Long with Male connector, 50/case.....	0034290
1/4" (6.4mm) I.D. x 6' (1.8m) Long, 50/case	0036280
1/4" (6.4mm) I.D. x 6' (1.8m) Long with Male & Female connectors, 50/case.....	0037860
1/4" (6.4mm) I.D. x 10' (3m) Long with Male connector, 50/case.....	0034320
1/4" (6.4mm) I.D. x 10' (3m) Long, 50/case	0036290
1/4" (6.4mm) I.D. x 12' (3.7m) Long with Male connector, 20/case.....	0034350
1/4" (6.4mm) I.D. x 12' (3.7m) Long, 20/case	0036550
1/4" (6.4mm) I.D. x 20' (6.1m) Long, 20/case	0036540
1/4" (6.4mm) I.D. x 25' (7.6m) Long, 20/case	0036530
9/32" (7.1mm) I.D. x 6' (1.8m) Long with Male connector, 50/case.....	0034300
9/32" (7.1mm) I.D. x 6' (1.8m) Long, 50/case	0037040
9/32" (7.1mm) I.D. x 9' (2.7m) Long, 20/case	0037050
9/32" (7.1mm) I.D. x 12' (3.7m) Long with Male connector, 20/case.....	0034360
9/32" (7.1mm) I.D. x 12' (3.7m) Long, 20/case	0037060
9/32" (7.1mm) I.D. x 20' (6.1m) Long, 20/case	0037070

CONMED also offers a broad variety of these products in bulk, non-sterile configurations.

Economy Roll ("Bubble")

- 100 ft. (30.5m) long rolls with integral blister (bubble) connectors every 3 ft. (.9m)
- Three I.D. sizes — 3/16" (4.8mm), 1/4" (6.4mm) & 9/32" (7.1mm)
- Clean, non-sterile

	Ref. No.
3/16" (4.8mm) I.D. x 100' (30m) Roll, 1/case	0048250
1/4" (6.4mm) I.D. x 100' (30m) Roll, 1/case	0048260
9/32" (7.1mm) I.D. x 100' (30m) Roll, 1/case	0048270



0048260

Male Tubing Connectors

- 2 1/8" connectors used to connect tubing to each other
- Clean, non-sterile

	Ref. No.
3/16" (4.8mm) I.D. x 2 1/8" Long, 250/case	9422690



9422690



I.V. STABILIZATION DRESSINGS

Veni-Gard® I.V. Stabilization Dressings

The CONMED Veni-Gard® is designed to provide the ultimate in both protection and stabilization for peripheral I.V.'s and VAD's. The Veni-Gard is intended to stabilize the catheter as an anchor providing securement assurance and an aggressive protection barrier.

Key features of the Veni-Gard:

- Aggressive adhesive foam border to assist in decreasing the chance of runaways or infections caused by pull out
- Water-resistant, allowing patients to maintain ADL's (Active Daily Life)
- High MVTR (Moisture Vapor Transmission Rate)
- Sterile
- Tape strips which are stretchable for added stabilization of infusion lines

Veni-Gard® TM Ref. No.

Universal IV dressing system. Excellent in peripheral line securement.
Complete with accessory tapes for added stabilization.

100 pouches/box, 5 boxes/case705-4431

Veni-Gard® TM JR. Ref. No

Ideal for Pediatric use. Small limb IV Dressing system.
Accessory tapes provided for extra stabilization in the active patient.

100 pouches/box, 5 boxes/case730-4432

Veni-Gard® SP Ref. No

Special part IV dressing system conforms to all IV contours.

Ideal for long term securement. 100 pouches/box, 5 boxes/case710-2730

Veni-Gard® ML Ref. No

Multi-lumen catheter securement device. Ideal for jugular/central line IV's.
Large elongated window to provide visualization of central access site.

25 pouches/box, 6 boxes/case750-4181

705-4431



730-4432



710-2730



750-4181





740-1440



745-1441



740-1000



745-1000



701-0510

Veni-Gard® AP Ref. No.

All purpose IV dressing system.
Ideal for PICC line securement and fragile skin patients.
100 pouches/box, 5 boxes /case 740-1440

Veni-Gard® TPN Ref. No.

Low profile bordered dressing with accessory tape strips.
Ideal for securing central lines both jugular and/or femoral.
25 pouches/box, 6 boxes /case..... 745-1441

NeoDerm® Ref. No.

2"x 3", Adhesive Foam Border Transparent Dressing
Wide bordered all purpose securement device that offers extra adhesive properties.
100 pouches/box, 5 boxes /case..... 740-1000

NeoDerm® Plus Ref. No.

4"x 5", Adhesive Foam Border Transparent Dressing
Large adhesive foam border. Ideal for securing epidural catheters.
Accessory tapes for added security.
100 pouches/box, 5 boxes /case 745-1000

Strip-N-Tape® Ref. No.

All purpose foam tape strips for securing IV cannulae, dressings, etc.
Packaged non-sterile. 5000/case 701-0510

CONMED also offers a broad variety of these products in bulk, non-sterile formats.

Armboards

Key features of the CONMED's Armboards:

- Prevents "positional" flow rate changes
- Reduces I.V. catheter irritations/infiltration
- Infant, pediatric and adult sizes
- Disposable soft paper covers included
- Non-sterile

	Ref. No.
Infant size 5.25"x 2.25" with covers; 60/case.....	810-L

Pediatric size 7"x 3" with covers; 60/case	910-L
--	-------

Adult size 10.5" x 4" with covers; 80/case	1010-L
--	--------

Adult size armboards only; 80/case.....	1011-L
---	--------

Adult size armboard covers only; 250/case.....	1012
--	------



810-L



910-L



1010-L



Cardiology - Patient Care

Product Catalog

11311 Concept Blvd, Largo, FL 33773

Customer Service: 1-866-4CONMED
International Sales: +1 (727) 214-3000
Fax: 1-800-438-3051

Website: CONMED.com
Email: customerexperience@conmed.com